

DOTT. LORENZ MOSER - DOTT. ELISABETH UTE SCHNEIDER-MOSER

## SEVERE MALOCCLUSIONI DI CLASSE II: SOLO UN PROBLEMA SAGITTALE?

Il trattamento ortodontico-chirurgico delle II Classi scheletriche non richiede soltanto un'attenta valutazione della discrepanza sagittale per progettare la necessaria decompensazione dentale allo scopo di fornire al chirurgo un adeguato overjet.

È altrettanto importante analizzare la dimensione verticale in prospettiva del risultato finale. Un parametro cardine è la corretta inclinazione del piano occlusale postchirurgico che determina sia l'esito estetico che quello funzionale.

Verranno presentati alcuni esempi clinici per illustrare il concetto.

## SEVERE CLASS II MALOCCLUSION: ONLY A SAGITTAL PROBLEM?

Orthodontic-surgical treatment of Skeletal Class II does not only require careful evaluation of the sagittal discrepancy to design the necessary dental decompensation in order to provide the surgeon with an appropriate overjet.

It is equally important to analyze the vertical dimension in the perspective of the final result. A key parameter is the correct inclination of the post-surgical occlusal plane that determines both the aesthetic and the functional outcome.

Some clinical examples will be presented to illustrate the concept.